## FAB10ROR6

Type Product Family	Refrigerator
	-
nstallation	Free Standing
Category	One Door
Reference height	Until 100
Reference width	Until 60
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Door opening flush with the wall	No
Slot-in	No
Hinge type	Standard
Hinge position	Right
Reversible door	No
EAN code	8017709342432
Aesthetics	
Aesthetics	50's Style
Colour	Orange
Finishing	Gloss
-	Rounded
Design Material	Heat-moulded
Handle kit to be ordered separately	No
Handle	External
landle type	Fixed
.ogo colour	Chrome
Handle colour	Chrome
ide material	Steel
Side colour	Orange
ogo	Applied
Door shelves profile colour	Silver
Colour of glass shelf profile	Silver
Display	No
Dispenser	No
Water Filter	
	No
HomeBar	No
Refrigerator compartment features	
No. of adjustable shelves	1
Number of fruit and vegetables drawers	1
Type of crisper/vegetable drawers cover	Standard
Type of adjustable shelves	Glass
Crisper Cover	Yes
Bottle shelf	No
Type of crisper/vegetable drawers cover	Glass
No. of lights	1
Convertible temperature drawer	No
ife Plus zone-0°C	No
Low temperature compartment	No
nternal light in fridge	Yes
Type of internal light (fridge)	LED
Refrigerator Inner Door	
No. of door shelves with transparent cover	0
Number of adjustable door shelves	2
No. of bottle shelves	1
Other Refrigerator features	
Jatural Plus Blu Light	No
Autoral Plus Blu Light AultiFlow	
	No
an	No
onizer	No
ītanium tech	No
Antibacterial odour filter	No
Bio Care Zone	No
reezer compartment features	
	Yes
nternal light in freezer	Yes No

Other technical features	
Water network connection	No
Power on lamp	No
Temperature alarm lamp	No
Door open alarm	No
Temperature Alarm	No
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	25 g
Foam agent	Cyclopentane
Metal backpanel material	Aluminium Foil
Options	
Compatible accessories	
Performance / Energy Label	
Category of the household refrigerating appliance model	Refrigerator - freezer
Energy efficiency Index EEI	
Fresh Food compartments (Chiller incl.) - Gross Volume	
• • •	N ST T
Climatic class	N, ST, T
Fresh Food compartment - Storage Volume	104.8 l
Total gross volume	118
Storage volume frozen food compartment	17
4 Star compartment - Star rating	4
Freezing capacity	2.59 Kg/24h
	-
Total storage volume	121.8
Thaw time	6 h
Performance / Energy Label NEW	
Annual energy consumption	115 kWh/a
Energy efficiency class	D
Airborne acoustical noise emission class	В
Total volume	122
	17
Sum of the volumes of the frozen compartment(s)	
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	105 l
Total volume	01
Noise level	35 dB(A) re 1pW
Thaw time	6 h
4 star - Freezing capacity	2.6 Kg/24h
Climatic class	N, ST, T
EEI	79 %
Electrical Connection	
Nominal power	50 W
Current	0.42 A
Voltage (V)	220-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm
Printed Documents	
Sticker	A++
Optional accessories	
Accessories not included	no
Logistic Information	
Width (mm)	545 mm
Depth without handle	659 mm
	970 mm
Product Height with feet	
	842 mm
	701 mm
Product depth with handle	1085 mm
Product depth with handle Product depth with doors open at 90°	1085 mm
Product width with maximum doors opening Product depth with handle Product depth with doors open at 90° <b>No longer in use</b> Aesthetics	1085 mm 50's Style

Logistic Information
EAN code
Width (mm)
Depth without handle
Product Height with feet
Product width with maximum doors opening
Product depth with handle
Product depth with doors open at 90°
Dimensions
Packed width
Packaged depth
Height (mm) packed
Dimensions of the packed product (mm)
Quantity per container (20 cf)
Quantity per container (40 cf)
Quantity per container (40 HC)
Net weight (kg)
Gross weight (kg)
Maximum stackability
Type of packaging
Packaging composition - paper & cardboard
Packaging composition - polystyrene (kg)
Packaging composition - wood (kg)
Packaging composition - plastic (kg)
Packaging with fumigated wood
Raee Code

8017709342432 545 mm 659 mm 970 mm 842 mm 701 mm 1085 mm 970x545x659 mm 630 mm 760 mm 1105 mm 1105X630X760 mm 41.000 kg 50.000 kg 4 Cardboard 2.686 kg 0.547 kg 7.184 kg 0.237 kg

Y F2